

IN THE CLAIMS:

1. (Previously presented) A method of shortening multiple image scanning duration, comprising the steps of:

setting the scanning parameters of each image in a pre-scanning operation;
classifying the images into groups according to a categorization method including comparing at least a portion of an image with at least a portion of another image;
assigning all images belonging to the same group to a scanning region; and
initializing the scanning operation.

2. (Previously Presented) The method of claim 1, wherein after scanning all scanning regions, images belonging to the same scanning region are grouped together.

3. (Currently Amended) A method comprising:
setting the scanning parameters of each image in a pre-scanning operation;
classifying the images into groups according to a categorization method;
assigning all images belonging to the same group to a scanning region ~~including during~~
an assignment process that includes:

selecting out a first unprocessed image to serve as a contrast-scanning region,
selecting the next in line unprocessed image and comparing with the contrast-scanning region,

determining if the unprocessed image and the contrast-scanning region ~~has~~ have a common scanning line section,

integrating the selected unprocessed image and the contrast-scanning region to become a new contrast scanning region if the unprocessed image and the original contrast-scanning region ~~has~~ have a common scanning line section,

assigning the contrast-scanning region to be a scanning region if the selected unprocessed image and the contrast-scanning region ~~has~~ have no common scanning line section, and

repeating the aforementioned assignment process steps until all images are processed;
and
initializing the scanning operation.

4. (Previously presented) The method of claim 1, wherein the scanning parameters include the resolution of the image and the data quantity of the image.

5. (Original) The method of claim 1, wherein the categorization method includes grouping all images containing a common scanning line section together.

6. (Previously presented) A method, comprising:
setting the scanning parameters of each image in a pre-scanning operation;
classifying the images into groups according to a categorization method wherein the categorization method includes grouping all images having a number of scanning stops within a preset scanning stop range together;
assigning all images belonging to the same group to a scanning region; and
initializing the scanning operation.

7. (Original) The method of claim 1, wherein the categorization method includes grouping all images having a resolution within a preset resolution range together.

8. (Original) The method of claim 1, wherein the categorization method includes grouping all images having user-defined properties together.

9. (Previously presented) A method, comprising:
setting the scanning parameters of each image in a pre-scanning operation;
classifying the images into groups according to a categorization method wherein the categorization method includes grouping the images together according to common scanning line sections, preset scanning stop number ranges, image resolution ranges, user-defined properties or various combinations of the above;
assigning all images belonging to the same group to a scanning region; and

initializing the scanning operation.

10. (Previously presented) A method, comprising:
pre-scanning a first image and a second image;
assigning the first image to a first scanning region; and
comparing the first image with the second image to determine whether the first and second images have a scan line in common; and
assigning the second image to the first scanning region if the first and second images have a scan line in common.

11. (Previously presented) The method of claim 10, further comprising assigning the second image to a second scanning region if the first and second images do not have a scan line in common.

12. (Currently amended) A method, comprising:
selecting a first image as a first contrast-scanning region;
comparing a second image with the first contrast-scanning region;
determining whether there are any scan lines in common between the second image and the first contrast-scanning region; and
integrating the second image and the first contrast-scanning region to produce a new first contrast-scanning region if there is a scan line in common between the second image and the first contrast-scanning region.

13. (Previously presented) The method of claim 12, further comprising selecting the second image as a second contrast-scanning region if there is no scan line in common between the second image and the first contrast-scanning region.

14. (Previously presented) A method, comprising:
pre-scanning a first image and a second image;
assigning the first image to a first scanning region; and
comparing the first image with the second image to determine whether the first and

second images each have resolutions that fall within a predetermined range; and
assigning the second image to the first scanning region if the first and second images each have resolutions that fall within the predetermined range.

15. (Previously presented) The method of claim 14, further comprising assigning the second image to a second scanning region if the first and second images do not each have resolutions that fall within the predetermined range.

16. (Previously presented) A method, comprising:
pre-scanning a first image and a second image;
assigning the first image to a first scanning region; and
comparing the first image with the second image to determine whether the first and second images each have numbers of scanning stops that fall within a predetermined range; and
assigning the second image to the first scanning region if the first and second images each have numbers of scanning stops that fall within the predetermined range.

17. (Previously presented) The method of claim 15, further comprising assigning the second image to a second scanning region if the first and second images do not each have numbers of scanning stops that fall within the predetermined range.